
## Energy NSW – Leewood Phase 2

10<sup>th</sup> March 2015

Narrabri CCC





## Agenda

# Leewood Phase 2 - Planned Activity

- Introduction
- Site Overview
- Leewood Phase 1 Background
- Leewood Phase 2 Planned Activities



# Field Layout -Overview

### Wilga Park and Tintsfield


- Power station pilot gas
- Pilot wells

#### Leewood

- Ponds
- Proposed water treatment
- Proposed irrigation

#### <u> Bibblewindi – Area</u>


- Pilots well collection point
- Pipelines gas and water



#### **Other Activities**

- Rehabilitation
- Drilling and completions
- Gathering
  pipelines





### Leewood Phase 1

#### Phase one now complete

- Construction of two 300 ML double - lined ponds
- Flowlines to transfer water from Bibblewindi to Leewood
- All legacy brine now contained in the Leewood ponds





## Leewood Phase 2 Proposal



### Leewood Phase 2 Scope


Construction of Leewood Phase 2 will take around 10 to 12 months and include the following infrastructure:

- Water treatment plant, including a reverse osmosis plant and brine concentrator;
- Associated pipework to transfer water and brine around the facility;
- ✓ Treated water storage
- ✓ Treated water irrigation system



### Leewood Strategy

### The Process





### **Beneficial Water Re-use**




Approximately 70% of water will be reused during exploration and appraisal

- > Average of 1 megalitres per day of treated water
- Treated water will be re-used for irrigation at the Leewood property through a managed irrigation system
- Also available for other beneficial uses both on and off site including dust suppression, drilling and construction, firefighting and/or optional third party agricultural irrigation
- Water tested to ensure it is of suitable quality and complies with NSW and Australian guidelines



# Leewood Phase 2 Assessment and Approval Process



• Submit REF to Office of Coal Seam Gas

OCSG and government agencies assess the REF

Further information may be provided

7

3

• If approved, OCSG advises (with conditions)

