

# Notice of Modification

## Section 4.55(1A) of the *Environmental Planning and Assessment Act 1979*

As delegate of the Minister for Planning and Public Spaces, I approve the modification of the project approval referred to in Schedule 1, subject to the conditions in Schedule 2.



Stephen O'Donoghue  
Director  
Resource Assessments

Sydney 21 October 2019

### SCHEDULE 1

The project approval (MP 07\_0023), granted by the Minister for Planning for the Narrabri Coal Seam Gas Utilisation Project on 02 December 2008.

### SCHEDULE 2

- In the definitions in Schedule 2, delete the definitions for "Department", "Minister" and "OEH" and insert the following in alphabetical order:

BCD	Biodiversity and Conservation Division within the Department
Department	Department of Planning, Industry and Environment
Heritage – DPC	Heritage, within the Department of Premier and Cabinet
Minister	Minister for Planning and Public Spaces
- Delete all references to "OEH" and replace with "BCD".
- Delete all references to "Heritage Division" and replace with "Heritage – DCP".
- In the definition of "EA", delete all text after "May 2016;" and insert:
  - Modification 6 application and assessment titled "*Narrabri Coal Seam Gas Utilisation Project (MP\_0023) Modification 6 supporting information*" dated June 2018; and
  - Modification 7 application and assessment titled "*Wilga Park Power Station Modification 7*" dated August 2019.
- After condition 2.31 of Schedule 2 insert:

2.31(A) Prior to the construction of infrastructure associated with modification 7 (shown in Attachment B), the proponent must undertake a Hazard and Operability Study for plant and processes associated with that infrastructure. The Hazard and Operability study must:

  - be undertaken by a suitably qualified and independent person;
  - be consistent with the Hazardous Industry Planning Advisory Paper No. 8, '*HAZOP Guidelines*' (Department of Planning 2011); and
  - include consideration of:
    - concurrent operations of modification 7 plant and processes with existing site operations; and
    - tie-ins between any new and existing plant processes.

2.31(B) The proponent must implement the recommendations of the Hazard and Operability Study required under condition 2.31(A), unless otherwise agreed by the Secretary.
- In the footer delete "Department of Planning and Environment" and replace with "Department of Planning, Industry and Environment".

7. After "Attachment A" insert the following:

**Attachment B: Site Plan Showing Modification 7 Infrastructure**

